| FORM PTO-1449 | ATTY. DOCKET NO. 200310842-1 | APPLICATION NO. | CONFIRMATION NO. |
|---|---|---|---|
| LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT | APPLICANT Peter J. Fricke  t al. | | |
| (Use several sheets if necessary) | FILING DATE 02-04-2004 | GROUP | |

## REFERENCE DESIGNATION        U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | | DOCUMENT NUMBER | PUBLICATION DATE | NAME | Pages, Columns, Lines Where Relevant Passages or Figures Appear |
|---|---|---|---|---|---|
| | 1A | 5,811,870-B | 09-22-1998 | Bhattacharyya et al. | |
| | 1B | 5,617,351-B | 04-01-1997 | Bertin et al. | |
| | 1C | 5,481,128-B | 01-02-1996 | Hong | |
| | 1D | 5,468,663-B | 11-21-1995 | Bertin et al. | |
| | 1E | 5,451,535-B | 09-19-1995 | Chan et al. | |
| | 1F | 5,331,189-B | 07-19-1994 | Chan et al. | |
| | 1G | 5,298,447-B | 03-29-1994 | Hong | |
| | 1H | 4,752,812-B | 06-21-1988 | Arienzo et al. | |
| | 1I | 4,688,078-B | 03-18-1987 | Hseih | |
| | 1J | 4,471,471-B | 09-11-19 | DiMaria | |
| | 1K | 4,446,535-B | 05-01-1984 | Gaffney et al. | |

## FOREIGN PATENT DOCUMENTS

| | | DOCUMENT NUMBER | PUBLICATION DATE | NAME OF PATENTEE OR APPLICANT | Pages/Columns/Lines Where Relevant Passages/Figures Appear | Check if Translation attached |
|---|---|---|---|---|---|---|
| | 1L | | | | | |
| | 1M | | | | | |
| | 1N | | | | | |
| | 1O | | | | | |
| | 1P | | | | | |

## OTHER REFERENCES (including Author, Title, Date, Pertinent Pages, etc.)

| | 1Q | H. CHAO "Electrically alterable read-only memory array" IBM Tech. Discl. Bull., June 1982, pp. 41-43 |
|---|---|---|
| | 1R | DIMARIA et al., "Electrically-Alterable Memory Using A Dual Electron Injector Structure," Electron Dev. Let. , EDL-1 (9), Sept. 1980, pp. 179-181 |
| | 1S | DIMARIA et al. "Two carrier dual injector structur ," IBM Tech. Discl. Bull., Aug 1980, pp. 1277-1279 |

| EXAMINER | DATE CONSIDERED |
|---|---|
| | |

| FORM PTO-1449 | ATTY. DOCKET NO.<br>**200310842-1** | APPLICATION NO. | CONFIRMATION NO. |
|---|---|---|---|
| LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT<br><br>(Use several sheets if necessary) | APPLICANT<br>**P t r J. Fricke t al.** | | |
| | FILING DATE<br>**02-04-2004** | GROUP | |

## REFERENCE DESIGNATION    U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | | DOCUMENT NUMBER | PUBLICATION DATE | NAME | Pages, Columns, Lines Where Relevant Passages or Figures Appear |
|---|---|---|---|---|---|
| | 1A | 20030189851A | 10-09-2003 | Brandenberger et al. | |
| | 1B | 20030185048A | 10-02-2003 | Fricke et al. | |
| | 1C | 20030178693A | 09-25-2003 | Bhattacharyya et al. | |
| | 1D | 20030161175A | 08-28-2003 | Fricke et al. | |
| | 1E | 20030151948A | 08-14-2003 | Bhattacharyya | |
| | 1F | 20030081446A | 05-01-2003 | Fricke et al. | |
| | 1G | 20030072126A | 04-17-2003 | Bhattacharyya | |
| | 1H | 6,549,447-B | 04-15-2003 | Fricke et al. | |
| | 1I | 20030042534A | 03-06-2003 | Bhattacharyya | |
| | 1J | 20020028541A | 03-07-2002 | Lee et al. | |
| | 1K | 6,344,373-B | 02-05-2002 | Bhattacharyya et al. | |

## FOREIGN PATENT DOCUMENTS

| | | DOCUMENT NUMBER | PUBLICATION DATE | NAME OF PATENTEE OR APPLICANT | Pages/Columns/Lines Where Relevant Passages/Figures Appear | Check if Translation attached |
|---|---|---|---|---|---|---|
| | 1L | | | | | |
| | 1M | | | | | |
| | 1N | | | | | |
| | 1O | | | | | |
| | 1P | | | | | |

## OTHER REFERENCES (including Author, Title, Date, Pertinent Pages, etc.)

| | | |
|---|---|---|
| | 1Q | DIMARIA et al., "Enhanced conduction and minimizedcharge trapping in electrically alterable read-only memories using off-stoichiometric silicon dioxide films" J. Appl. Phys. 55 (8), 15 Apr 1984, pp. 3000-3019 |
| | 1R | DIMARIA et al., "Enhanced storage dynamic cell using composite silicon-richSiO2 and thermal SiO2 layers" IBM Tech. Discl. Bull., Mar. 1984, pp. 5380-5383 |
| | 1S | DIMARIA et al., "Use of composite silicon-rich SiO/2/ and SiO/2/ layers or off-stoichiometric CVD SiO/2/ layers for improvement of poly 1 to poly 2 dielectric" IBM Tech. Discl. Bull., May 1983, p. 6417 |

| EXAMINER | DATE CONSIDERED |
|---|---|
| | |

Rev 10/03 (PTO1449)

| FORM PTO-1449 | ATTY. DOCKET NO. 200310842-1 | APPLICATION NO. | CONFIRMATION NO. |
|---|---|---|---|
| LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT | APPLICANT P ter J. Frick et al. | | |
| (Use several sheets if necessary) | FILING DATE 02-04-2004 | GROUP | |

## REFERENCE DESIGNATION          U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | | DOCUMENT NUMBER | PUBLICATION DATE | NAME | Pages, Columns, Lines Where Relevant Passages or Figures Appear |
|---|---|---|---|---|---|
| | 1A | 4,432,072-B | 02-14-1984 | Chao et al. | |
| | 1B | 4,363,110-B | 12-07-1982 | Kalter et al. | |
| | 1C | | | | |
| | 1D | | | | |
| | 1E | | | | |
| | 1F | | | | |
| | 1G | | | | |
| | 1H | | | | |
| | 1I | | | | |
| | 1J | | | | |
| | 1K | | | | |

## FOREIGN PATENT DOCUMENTS

| | | DOCUMENT NUMBER | PUBLICATION DATE | NAME OF PATENTEE OR APPLICANT | Pages/Columns/Lines Where Relevant Passages/Figures Appear | Check if Translation attached |
|---|---|---|---|---|---|---|
| | 1L | | | | | |
| | 1M | | | | | |
| | 1N | | | | | |
| | 1O | | | | | |
| | 1P | | | | | |

## OTHER REFERENCES (including Author, Title, Date, Pertinent Pages, etc.)

| | | |
|---|---|---|
| | 1Q | DIMARIA et al. "Dual electron injector structure" Appl. Phys. Lett. 37(1), 1 Jul. 1980, pp. 61-64 |
| | 1R | DIMARIA et al. "High current injection into SiO2 from Si rich SiO2 films and experimental applications," J. Appl. Phys., 51(5), May 1980, pp. 2722-2735 |
| | 1S | DIMARIA et al., "High current injection into SiO2 using Si-rich SiO2 films and xperimental applications," in "The Physics of MOS Insulators" (G. Lucovsky et al., Eds.) P rgamon Press, New York, 1980 |

| EXAMINER | DATE CONSIDERED |
|---|---|
| | |

Rev 10/03 (PTO1449)